

UNITED STATES DEP. LENT OF COMMERCE Patent and Trademark Critice Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231

SERIAL NUMBER FILI	NG DATE	FIRST NAMED APPLICANT	АТ	TORNEY DOCKET NO.
09/098,730	06/18/98	SUGIYAMA	т_	
			EXAMINER	
		IM52/0201		
PILLSBURY MADISON & SUTRO			LTUNG-	Ţ
INTELLECTUAL PROPERTY GROUP			ART UNIT	PAPER NUMBER
1100 NEW YORK AVENUE NW NINTH FLOOR - EAST TOWER		V	1742	16
WASHINGTON D			DATE MAILED:	

	02/01/01
Below is a communication from the EXAMINER in charge of this application	
COMMISSIONER OF PATENTS AND TRADEMARKS	
ADVISORY ACTION	
,	
THE PERIOD FOR RESPONSE:	
a) is extended to run 4 months or continues to run from the date of the final rejection.	
b) expires three months from the date of the final rejection or as of the mailing date of this Advisory Action, which event however, will the statutory period for the response expire later than six months from the date of the final	ever is later. In no rejection.
Any extension of time must be obtained by filing a petition under 37 CFR 1.136(a), the proposed response and The date on which the response, the petition, and the fee have been filed is the date of the response and also purposes of determining the period of extension and the corresponding amount of the fee. Any extension fee 1.17 will be calculated from the date of the originally set shortened statutory period for response or as set forth	pursuant to 37 CFR
Appellant's Brief is due in accordance with 37 CFR 1.192(a).	
Applicant's response to the final rejection, filed has been considered with the following effect, to place the application in condition for allowance:	but it is not deemed
1. The proposed amendments to the claim and /or specification will not be entered and the final rejection stands to	because:
 There is no convincing showing under 37 CFR 1.116(b) why the proposed amendment is necessary and presented. 	I was not earlier
b. They raise new issues that would require further consideration and/or search. (See Note).	
c. They raise the issue of new matter. (See Note).	
d. They are not deemed to place the application in better form for appeal by materially reducing or simplif appeal.	ying the issues for
e. They present additional claims without cancelling a corresponding number of finally rejected claims.	
NOTE:	
Newly proposed or amended claims would be allowed if submitted in a separately filed a the non-allowable claims.	
3. Upon the filing an appeal, the proposed amendment will be entered will not be entered and the statube as follows:	is of the daims will
Claims allowed:	•
Claims objected to:	
However;	
However; ☐ Applicant's response has overcome the following rejection(s): 35 USC (12	
4. The affidavit, exhibit or request for reconsideration has been considered but does not overcome the rejection	because
5. The affidavit or exhibit will not be considered because applicant has not shown good and sufficent reasons will presented.	hy it was not earlier
☐ The proposed drawing correction ☐ has ☐ has not been approved by the examiner.	
Other	
U One.	

Application/Control Number: 09/098,730

Page 2

Art Unit: 1102

Against the prior art rejection, applicant argues the fact that he starts with a smaller particle size (0.3 micron) for the boundary layer than that (0.5 micron) of the neighboring layer and derives a final sintered product of the boundry layer with a larger particle size (3-4 microns) than that (2-3 microns) of the neighboring layer is an indication of the unpredictability of the final particle size.

This argument is not persuasive. Applicant is claiming a sensor as a final product, not a method of making the sensor. What particle size is used initially is irrelevant. From Suzuki, one of ordinary skill in the art would conclude that if a final product were to be more porous than another final product, the former final product would have larger grain size than the latter final product. That is all applicant's claim language calls for.

The prior art rejection is maintained.

The exminer can be reached at 703-308-3329. His supervisor Jill Warden can be reached at 703-308-4037. Any general inquiry should be directed to the receptionist at 703-308-0661. A fax number for TC 1700 is 703-872-9310.

/.

Ta Tung

Primary Examiner

Art Unit 1743